

**Luoyang Kunyao Metal Material Co.,Ltd**

| R Edge Aluminum Busbar (Table 5-1) |           |            |                  |
|------------------------------------|-----------|------------|------------------|
| Thickness(mm)                      | Width(mm) | Length(mm) | Unit Weight (KG) |
| 3                                  | 15        | 3000       | 0.3645           |
| 3                                  | 40        | 3000       | 0.972            |
| 3                                  | 60        | 3000       | 1.458            |
| 3                                  | 100       | 3000       | 2.43             |
| 3                                  | 110       | 3000       | 2.673            |
| 3                                  | 130       | 3000       | 3.159            |
| 4                                  | 40        | 3000       | 1.296            |
| 4                                  | 40        | 4000       | 1.728            |
| 4                                  | 50        | 3000       | 1.62             |
| 4                                  | 60        | 3000       | 1.944            |
| 5                                  | 40        | 3000       | 1.62             |
| 5                                  | 50        | 3000       | 2.03             |
| 5                                  | 60        | 3000       | 2.43             |
| 5                                  | 80        | 3000       | 3.24             |
| 5                                  | 120       | 3000       | 4.86             |

Web:[www.kunyaocn.com](http://www.kunyaocn.com) [www.bestaluminumfoil.com](http://www.bestaluminumfoil.com)

Email:[anna@kunyaocn.com](mailto:anna@kunyaocn.com)

Whatsapp/Mobile: +86 157 379 25221

Sales:(Ms) Anna

**Luoyang Kunyao Metal Material Co.,Ltd**

| R Edge Aluminum Busbar (Table 5-2) |            |             |                  |
|------------------------------------|------------|-------------|------------------|
| Thickness (mm)                     | Width (mm) | Length (mm) | Unit Weight (KG) |
| 6                                  | 40         | 3000        | 1.944            |
| 6                                  | 50         | 3000        | 2.43             |
| 6                                  | 60         | 3000        | 2.916            |
| 6                                  | 60         | 3000        | 2.916            |
| 6                                  | 70         | 3000        | 3.402            |
| 6                                  | 80         | 3000        | 3.888            |
| 6                                  | 90         | 3000        | 4.374            |
| 6                                  | 100        | 3000        | 4.86             |
| 6                                  | 80         | 3000        | 3.888            |
| 6                                  | 110        | 3000        | 5.346            |
| 6                                  | 120        | 3000        | 5.832            |
| 6                                  | 130        | 3000        | 6.318            |
| 6                                  | 140        | 3000        | 6.804            |
| 6                                  | 160        | 3000        | 7.776            |
| 6                                  | 200        | 3000        | 9.72             |

**Luoyang Kunyao Metal Material Co.,Ltd**

| R Edge Aluminum Busbar (Table5-3) |            |             |                  |
|-----------------------------------|------------|-------------|------------------|
| Thickness (mm)                    | Width (mm) | Length (mm) | Unit Weight (KG) |
| 8                                 | 50         | 3000        | 3.24             |
| 8                                 | 60         | 3000        | 3.89             |
| 8                                 | 63         | 3000        | 4.08             |
| 8                                 | 80         | 4000        | 6.91             |
| 8                                 | 100        | 3000        | 6.48             |
| 8                                 | 120        | 2530        | 6.56             |
| 8                                 | 120        | 2700        | 7.00             |
| 8                                 | 140        | 3000        | 9.07             |
| 9                                 | 120        | 3000        | 8.75             |

**Luoyang Kunyao Metal Material Co.,Ltd**

| R Edge Aluminum Busbar (Table 5-4) |            |             |                  |
|------------------------------------|------------|-------------|------------------|
| Thickness (mm)                     | Width (mm) | Length (mm) | Unit Weight (KG) |
| 10                                 | 40         | 3000        | 3.24             |
| 10                                 | 50         | 3000        | 4.05             |
| 10                                 | 63         | 3000        | 5.10             |
| 10                                 | 80         | 3000        | 6.48             |
| 10                                 | 80         | 4000        | 8.64             |
| 10                                 | 100        | 3000        | 8.10             |
| 10                                 | 100        | 4000        | 10.80            |
| 10                                 | 120        | 3000        | 9.72             |
| 10                                 | 120        | 4000        | 12.96            |
| 10                                 | 125        | 3000        | 10.13            |
| 10                                 | 140        | 3000        | 11.34            |
| 10                                 | 150        | 3000        | 12.15            |
| 11                                 | 110        | 3000        | 9.80             |

| R Edge Aluminum Busbar (Table 5-5) |            |             |                  |
|------------------------------------|------------|-------------|------------------|
| Thickness (mm)                     | Width (mm) | Length (mm) | Unit Weight (KG) |
| 12                                 | 100        | 3000        | 9.72             |
| 12                                 | 120        | 3000        | 11.66            |
| 12                                 | 140        | 3000        | 13.61            |
| 12                                 | 200        | 3000        | 19.44            |
| 14                                 | 120        | 3000        | 13.61            |
| 14                                 | 140        | 3000        | 15.88            |
| 15                                 | 120        | 3000        | 14.58            |
| 16                                 | 140        | 3000        | 18.14            |
| 18                                 | 160        | 3000        | 23.33            |